



Version: 1 (14/04/2020)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Spruce Oil EOB-68

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Tsuga Canadensis Leaf Oil

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Ancient Wisdom Ltd Company name: Parkwood Business Park Company address:

75 Parkwood Road

Sheffield **S3 8AL**

Contact: Regulatory Affairs

E-Mail address: care@ancientwisdom.biz

0114 2729165 Company phone: 1.4 Emergency telephone number

Emergency phone: 0114 2729165

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

danger:

Class and category of Acute Toxicity - Oral Category 4

Skin Corrosion / Irritation Category 2

Sensitization - Skin Category 1 Aspiration Hazard Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1

H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H410, Very toxic to aquatic life with long lasting effects.





Version: 1 (14/04/2020)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Spruce Oil EOB-68

Version: 1

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Danger

Hazard statements: H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H410, Very toxic to aquatic life with long lasting effects.

M factor: None

Supplemental Information:

None

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P330, Rinse mouth.

P331, Do not induce vomiting.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362. Take off contaminated clothing and wash before reuse.

P391, Collect spillage. P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



Other hazards: None



Page 3 (8)

Issue date: 14/04/2020

Version: 1 (14/04/2020)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Spruce Oil EOB-68

Version: 1

Section 3. Composition / information on ingredients

3.1 Substances

Product identifier: Tsuga Canadensis Leaf Oil

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 |
|--------------|-----------|-----------|------------------------|---------|--|
| alpha-Pinene | 80-56-8 | 201-291-9 | | 50-100% | FL 3-ATO 4-SCI 2-SS 1B-AH 1-EH A1-EH C1; H226-H302-H304- H315-H317-H410,- |
| d-Limonene | 5989-27-5 | 227-813-5 | | 10-<20% | FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,- |
| Camphene | 79-92-5 | 201-234-8 | | 5-<10% | FL 3-FS 2-EH A1-EH C1;H226-H228-H410,- |
| Longifolene | 475-20-7 | 207-491-2 | | 1-<5% | SS 1B-AH 1-EH A1-EH C1;H304-H317-H410,- |

Section 4. First-aid measures

4.1 Description of first aid measures

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.





Version: 1 (14/04/2020)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Spruce Oil EOB-68

Version: 1

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.





Version: 1 (14/04/2020)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Spruce Oil EOB-68

Version: 1

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Odour threshold:

PH:

Not determined

Flash point: 70 °C

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined Not determined Solubility(ies): Partition coefficient: n-octanol/water: Not determined Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined Viscosity: **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.



Page 6 (8)

Issue date: 14/04/2020

Version: 1 (14/04/2020)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Spruce Oil EOB-68

Version: 1

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute Toxicity: Acute Toxicity - Oral Category 4

Acute Toxicity Oral 833

Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2

Serious eye damage/irritation: Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Aspiration hazard: Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture

| Ingredient | CAS | EC | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|--------------|---------|-----------|---------------|--------------------|------------------------|------------------|
| alpha-Pinene | 80-56-8 | 201-291-9 | 500 | Not available | Not available | Not available |

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available



ANGIENT WISDOM
WHOLESALE GIFTS

Issue date: 14/04/2020

Version: 1 (14/04/2020)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Spruce Oil EOB-68

Version: 1

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(alpha-Pinene, d-Limonene)

14.3 Transport hazard class(es): 9

Sub Risk: -

14.4. Packing Group:

14.5 Environmental hazards: This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH A1=23.26% EH C1=31.06% EH C2=3.11% EH C3=0.31055901% EH

C4=31.06% SCI 2=14.29% SS 1=1.67% AH 1=12.42%

Total Fractional Values: EH A1=4.30 EH C1=3.22 EH C2=32.20 EH C3=322.00 EH C4=3.22 SCI

2=7.00 SS 1=60.00 AH 1=8.05

Key to revisions:

Not applicable

Key to abbreviations:

| Abbreviation | Meaning |
|--------------|--|
| AH 1 | Aspiration Hazard Category 1 |
| ATO 4 | Acute Toxicity - Oral Category 4 |
| EH A1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| EH C1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| FL 3 | Flammable Liquid, Hazard Category 3 |
| FS 2 | Flammable Solid, Hazard Category 2 |
| H226 | Flammable liquid and vapour. |

Page 8 (8)

Issue date: 14/04/2020

Version: 1 (14/04/2020)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Spruce Oil EOB-68

Version: 1

| H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN: Wash with plenty of soap and water. P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing before reuse. | |
|--|---------|
| H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P260 Wear protective gloves/eye protection/face protection. P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 If ON SKIN: Wash with plenty of soap and water. P303/361/353 If ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/P304 Take off contaminated clothing. P331 Do not induce vomiting. P346 Take off contaminated clothing and wash before reuse. | |
| H315 Causes skin irritation. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. Do not induce vomiting. P330/313 If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. | |
| H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/P330 Rinse mouth. P333/311 Do not induce vomiting. P362 Take off contaminated clothing and wash before reuse. | |
| H410 Very toxic to aquatic life with long lasting effects. | |
| Reep away from heat, sparks, open flames and hot surfaces No smoking. | |
| P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. | |
| Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P330/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. | |
| Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/ P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P330 Rinse mouth. P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | shower. |
| P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. | |
| P362 Take off contaminated clothing and wash before reuse. | |
| | |
| P363 Wash contaminated clothing before reuse. | |
| | |
| P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. | |
| P391 Collect spillage. | |
| P403/235 Store in a well-ventilated place. Keep cool. | |
| P405 Store locked up. | |
| P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. | |
| SCI 2 Skin Corrosion / Irritation Category 2 | |
| SS 1B Sensitization - Skin Category 1B | |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.